

www.generalpetroleum.de

Product Data Sheet (PDS)



SYNCROGEN SYNTHETIC ATF DEX II

Published By:

Technical Department of General Petroleum GmbH Frankfurt, Germany Last Update Date:

1/8/2019

SYNCROGEN SYNTHETIC ATF DEX II



SYNCROGEN SYNTHETIC ATF DEX II is an Automatic Transmission Fluid which may be used in automatic transmissions and power steering units of many types of vehicles where Dexron[®] IID or Mercon[®] performance is required. It is also approved for use in many European heavy duty automatic transmissions and Mercedes-Benz manual transmissions

PERFORMANCE STANDARDS:

SYNCROGEN SYNTHETIC ATF DEX II meets and exceeds the requirements of the following

specifications:

- Allison C-3 & C-4
- Bosch TE-ML 09
- Ford XT-2-QDX
- GM DEXRON®-IID
- Mazda ATF D-II
- Opel/GM 19 40 700
- Renault Matic D2
- Toyota ATF D-II
- Volvo 97325

ADVANTAGES:

- Multiple approvals provide wide ranging use.
- Ensures efficient operation of power steering units under all conditions
- High thermal stability protects against deposits and oil thickening prolonging the life of components and lubricant.
- Enhanced friction characteristics and wear protection maintain effective operation of equipment.
- Effective seal compatibility reduces the risk of leakages.



TECHNICAL DATA

Sr. No	Characteristics	Test Method	Results
01	Appearance	VISUAL	B & C
02	Color	ASTM D-1500	Red
03	Density @ 15 C, g/ml	ASTM D-4052	0.875
04	Viscosity @ 40 C, cSt	ASTM D-445	39.52
05	Viscosity @ 100 C, cSt	ASTM D-445	7.62
06	Viscosity Index	ASTM D-2270	163
07	Flash Point, COC, C	ASTM D-92	220
08	Pour Point, C	ASTM D-97	-42

Health and Safety:

Based on available information, this product is not expected to produce adverse effects on health when used for the intended application, following the recommendations provided in the Material Safety Data Sheet (MSDS). MSDSs are available upon request. This product should not be used for purposes other than its intended use. If disposing of used product, take care to protect the environment.

Due to continual product research and development, the information contained herein is subject to change without notification. Typical Properties may vary slightly.