



GP

GENERAL PETROLEUM

www.generalpetroleum.de

Product Data Sheet (PDS)



GREASGEN MP-2 & MP-3

Published By:

Technical Department of
General Petroleum GmbH
Frankfurt, Germany

Last Update Date:

1/8/2019

GREASGEN MP 2 & 3 is a high quality, lithium grease suitable for a wide range of applications. It is available in NLGI 2 and 3 consistencies. They are formulated for use in automotive equipment and general lubrication for use in temperatures up to 120°C and where water contamination can be present. The high quality base oils used in the manufacture of these greases have good resistance to oxidation and because of their low pour point, they provide lubrication at temperatures down to -20°C.

APPLICATIONS:

- Automotive water pump bearings, steering joints and other chassis plain and anti-friction applications
- Centralized grease systems (No. 2)
- Mobile equipment

GREASGEN MP 2 & 3 minimizes wear under normal bearing load conditions and resists water wash-out, especially where equipment is constantly working under damp or wet conditions. It is also effective over a wide temperature range and protects against rust and corrosion where vehicles are lubricated by centralized grease systems.

TECHNICAL DATA

Characteristics	TEST METHODS	NLGI GRADE No. 2	NLGI GRADE No. 3
Soap Type	--	Lithium	Lithium
Appearance	VISUAL	Yellow	Yellow
Worked Penetration @ 25°C	ASTM D-217	265-290	220-250
Dropping Point °C	ASTM D-566	184	194
Corrosion to copper strip	ASTM D-130	Negative	Negative
Texture	VISUAL	Smooth	Smooth

BENEFITS:

- Resistance to water washout.
- Suitability in wide temperature ranges.
- Good pump ability.
- Good mechanism stability.
- Multifunctional use.

Health and Safety:

Based on available information, this product is not expected to produce adverse effects on health when used for the intended application, following the recommendations provided in the Material Safety Data Sheet (MSDS). MSDSs are available upon request. This product should not be used for purposes other than its intended use. If disposing of used product, take care to protect the environment.

Due to continual product research and development, the information contained herein is subject to change without notification. Typical Properties may vary slightly.